

# 7200MF // STEP MF

Low shoes  
PPE risk category II



Metal-free  
Flattened heel for a natural rolling movement of the foot  
highest slip resistance (SRC)

**S3**

**SRC**

**MF**

OGUV RULE  
112-191  
TYPE 1



559

## 7200MF // STEP MF







<b>Shoe upper:</b>	Grain leather, black
<b>Outsole:</b>	PU / TPU, grey / black
<b>Size(s):</b>	35-50
<b>Packaging unit:</b>	10 pair(s)
<b>Certification:</b>	EN ISO 20345

NITRAS STEP MF, safety shoes, S3, durable grain leather, black (colour code: 1000), tough PU / TPU outsole, grey / black, fibreglass toe cap, textile perforation resistant midsole, metal-free, ergonomic insoles, appealing design, flattened heel for a natural rolling movement of the foot, highest slip resistance (SRC), width 11, DGUV Rule 112-191-proofed, Type 1, PPE risk category II

EN ISO 20345



### Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management

### Advantages

- + Metal-free
- + Flattened heel for a natural rolling movement of the foot
- + highest slip resistance (SRC)



Further images

---



**Additional information**

**Miscellaneous**

Weight 559

**Logistics data**

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904123250	4059904123267	0,61 m	0,45 m	0,35 m	12,43 kg	14
36	4059904063365	4059904063495	0,61 m	0,44 m	0,34 m	11,75 kg	12
37	4059904063372	4059904063501	0,61 m	0,44 m	0,34 m	12,22 kg	12
38	4059904063389	4059904063518	0,61 m	0,36 m	0,44 m	13,7 kg	14
39	4059904063396	4059904063525	0,61 m	0,44 m	0,35 m	12,77 kg	12
40	4059904063402	4059904063532	0,008 m	0,36 m	0,36 m	13,59 kg	12
41	4059904063419	4059904063549	0,6 m	0,35 m	0,44 m	14,96 kg	14
42	4059904063426	4059904063556	0,61 m	0,45 m	0,35 m	14,3 kg	14
43	4059904063433	4059904063563	0,63 m	0,47 m	0,37 m	14,63 kg	14
44	4059904063440	4059904063570	0,63 m	0,48 m	0,38 m	15,55 kg	14
45	4059904063457	4059904063587	0,63 m	0,47 m	0,38 m	15,97 kg	14
46	4059904063464	4059904063594	0,65 m	0,46 m	0,38 m	16,04 kg	14
47	4059904063471	4059904063600	0,63 m	0,51 m	0,37 m	16,12 kg	14
48	4059904063488	4059904063617	0,64 m	0,46 m	0,38 m	17,09 kg	12
49	4059904123274	4059904123281	0,7 m	0,5 m	0,4 m	18,79 kg	14
50	4059904123298	4059904123304	0,68 m	0,48 m	0,48 m	19,28 kg	14

Customs tariff number: 64039993900

Country of origin: China