

7210 // POWER STEP

Low shoes
PPE risk category II



Additional toe cap
Heel lining for easy donning and doffing
Heel reinforcement made of robust microfibre



S3

HI

HRO

SRC

OGUV RULE
112:191
TYPE 1



718

7210 // POWER STEP



Shoe upper:	Grain leather, black
Outsole:	PU / nitrile, black
Size(s):	36-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS POWER STEP, safety shoes, S3 HI HRO, durable grain leather, black (colour code: 1000), tough PU / nitrile outsole, black, steel toe cap, steel perforation resistant midsole, premium COMFORT STEP insoles, ergonomically formed, appealing design, flattened heel for a natural rolling movement of the foot, highest slip resistance (SRC), width 11, additional toe cap, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, premium quality, DGUV Rule 112-191-proofed, Type 1, PPE risk category II

EN ISO 20345



S3

HI

HRO

SRC



718

Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Transport / Logistics
-  Waste management

Advantages

- + Additional toe cap
- + Heel lining for easy donning and doffing
- + Heel reinforcement made of robust microfibre



Further images



Additional information

Miscellaneous

Weight 718

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904102835	4059904102842	0,64 m	0,45 m	0,36 m	15,51 kg	10
37	4059904102859	4059904102866	0,64 m	0,45 m	0,35 m	0,101 kg	10
38	4059904102873	4059904102880	0,64 m	0,44 m	0,35 m	16,29 kg	20
39	4059904102897	4059904102903	0,64 m	0,44 m	0,36 m	17,04 kg	20
40	4059904102910	4059904102927	0,64 m	0,45 m	0,35 m	17,2 kg	20
41	4059904102934	4059904102941	0,64 m	0,45 m	0,36 m	17,86 kg	20
42	4059904102958	4059904102965	0,65 m	0,44 m	0,35 m	18,35 kg	10
43	4059904102972	4059904102989	0,64 m	0,49 m	0,38 m	19,34 kg	14
44	4059904102996	4059904103009	0,64 m	0,5 m	0,38 m	20,06 kg	11
45	4059904103016	4059904103023	0,65 m	0,49 m	0,38 m	20,51 kg	11
46	4059904103030	4059904103047	0,65 m	0,49 m	0,38 m	21,16 kg	10
47	4059904103054	4059904103061	0,64 m	0,49 m	0,38 m	21,65 kg	20
48	4059904103078	4059904103085	0,64 m	0,49 m	0,39 m	0,122 kg	8
49	4059904103092	4059904103108	0,64 m	0,49 m	0,4 m	22,44 kg	10
50	4059904103115	4059904103122	0,64 m	0,49 m	0,4 m	22,3 kg	10

Customs tariff number: 64034000000

Country of origin: India