

7420 // MICRO STEP

Low shoes
PPE risk category II



Metal-free
Textile perforation resistant midsole
Heel reinforcement made of robust microfibre



7420 // MICRO STEP



Shoe upper:	Microfibre, black
Outsole:	PU / TPU, schwarz / transparent
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345







NITRAS MICRO STEP, safety shoes, S1 P, durable microfibre, black (colour code: 1000), tough PU / TPU outsole, black / transparent, fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, appealing design, highest slip resistance (SRC), width 11, reflective elements, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-proofed, Type 1, Type 2, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Transport / Logistics
-  Events

Advantages

- + Metal-free
- + Textile perforation resistant midsole
- + Heel reinforcement made of robust microfibre



Further images



Additional information

Miscellaneous

Weight 596

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904120662	4059904120679	0,6 m	0,56 m	0,35 m	12,87 kg	16
36	4059904097278	4059904097285	0,61 m	0,56 m	0,34 m	12,84 kg	10
37	4059904097292	4059904097308	0,61 m	0,55 m	0,35 m	13,26 kg	10
38	4059904097315	4059904097322	0,62 m	0,56 m	0,35 m	13,96 kg	10
39	4059904097339	4059904097346	0,61 m	0,56 m	0,34 m	14,03 kg	10
40	4059904097353	4059904097360	0,62 m	0,55 m	0,35 m	14,2 kg	12
41	4059904097377	4059904097384	0,62 m	0,56 m	0,34 m	15,24 kg	12
42	4059904097391	4059904097407	0,61 m	0,56 m	0,35 m	15,27 kg	12
43	4059904097414	4059904097421	0,64 m	0,57 m	0,38 m	16,28 kg	10
44	4059904097438	4059904097445	0,65 m	0,57 m	0,37 m	16,81 kg	10
45	4059904097452	4059904097469	0,64 m	0,57 m	0,38 m	17,03 kg	10
46	4059904097476	4059904097483	0,64 m	0,58 m	0,37 m	18,08 kg	10
47	4059904097490	4059904097506	0,65 m	0,57 m	0,37 m	18,42 kg	10
48	4059904097513	4059904097520	0,65 m	0,58 m	0,38 m	18,45 kg	12
49	4059904120686	4059904120693	0,67 m	0,58 m	0,4 m	20,88 kg	12
50	4059904120709	4059904120716	0,65 m	0,58 m	0,38 m	18,39 kg	12

Customs tariff number: 64041990000

Country of origin: China