

# 7436 // SOLID STEP MID

Boots  
PPE risk category II



Durable textile  
Highest slip resistance (SR)  
Well padded bootleg for optimal fit and comfort



## 7436 // SOLID STEP MID



<b>Shoe upper:</b>	Textile, black
<b>Outsole:</b>	PU / PU, black / grey
<b>Size(s):</b>	35-50
<b>Packaging unit:</b>	10 pair(s)
<b>Certification:</b>	EN ISO 20345

NITRAS SOLID STEP MID, safety boots, half-height, S3S CI FO SR, durable upper, black, tough PU / PU outsole, black / grey (colour code: 1012), fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, modern design, highest slip resistance (SR), width 11, well padded bootleg for optimal fit and comfort, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, additional toe cap, DGVU Rule 112-191-protected, Type 1, Type 2, ESDcapable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



### Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

### Advantages

- + Durable textile
- + Highest slip resistance (SR)
- + Well padded bootleg for optimal fit and comfort



Further images

---



Colour variants

---



**7436 // SOLID STEP MID**  
Colour code: 1012



**7436 // SOLID STEP MID**  
Colour code: 1022

**Additional information**

**Miscellaneous**

Weight 643

**Logistics data**

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904193710	4059904193727	0,59 m	0,5 m	0,325 m	11,4 kg	12
36	4059904193734	4059904193741	0,59 m	0,5 m	0,325 m	11,6 kg	12
37	4059904193758	4059904193765	0,59 m	0,5 m	0,325 m	11,8 kg	12
38	4059904193772	4059904193789	0,59 m	0,5 m	0,325 m	12 kg	12
39	4059904193796	4059904193802	0,59 m	0,5 m	0,325 m	12,2 kg	12
40	4059904193819	4059904193826	0,59 m	0,5 m	0,325 m	12,4 kg	12
41	4059904193833	4059904193840	0,59 m	0,5 m	0,325 m	12,6 kg	12
42	4059904193857	4059904193864	0,59 m	0,5 m	0,325 m	12,8 kg	12
43	4059904193871	4059904193888	0,615 m	0,52 m	0,355 m	13 kg	12
44	4059904193895	4059904193901	0,615 m	0,52 m	0,355 m	13,2 kg	12
45	4059904193918	4059904193925	0,615 m	0,52 m	0,355 m	13,4 kg	12
46	4059904193932	4059904193949	0,615 m	0,52 m	0,355 m	13,6 kg	12
47	4059904193956	4059904193963	0,615 m	0,52 m	0,335 m	13,8 kg	12
48	4059904193970	4059904193987	0,615 m	0,52 m	0,355 m	14 kg	12
49	4059904193994	4059904194007	0,64 m	0,54 m	0,375 m	14,2 kg	12
50	4059904194014	4059904194021	0,64 m	0,54 m	0,375 m	14,4 kg	12

Customs tariff number: 64041990000

Country of origin: China