

7308 // TOUGH STEP MID FIT

Boots
PPE risk category II



With dial-fastener 711 // FIT SYSTEM

Durable grain leather
Highest slip resistance

7308 // TOUGH STEP MID FIT



Shoe upper:	Grain leather, brown / black
Outsole:	PU / TPU, grey / transparent
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS TOUGH STEP MID FIT, safety boots, half-height, S7S CI FO SR, durable grain leather, tough and non-marking PU / TPU outsole, grey / transparent (colour code: 5010), fiberglass toe cap, textile perforation resistant midsole, metal-free, ergonomic insoles, with dial fastener 711 // FIT SYSTEM for fast availability and optimal fit, highest slip resistance (SR), width 11, well padded bootleg for optimal fit and comfort, reflective stripes on sides, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV rule 112-191-certified, ESD-capable, PPE risk category II

EN ISO 20345



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Transport / Logistics
-  Refrigeration range

Advantages

- + With dial-fastener 711 // FIT SYSTEM
- + Durable grain leather
- + Highest slip resistance



Further images



Additional information

Miscellaneous

Weight (g) 779

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904208476	4059904208636	0,59 m	0,5 m	0,325 m	12,3 kg	14
36	4059904208483	4059904208643	0,59 m	0,5 m	0,325 m	12,5 kg	14
37	4059904208490	4059904208650	0,59 m	0,5 m	0,325 m	12,7 kg	14
38	4059904208506	4059904208667	0,59 m	0,5 m	0,325 m	12,9 kg	14
39	4059904208513	4059904208674	0,59 m	0,5 m	0,325 m	13,1 kg	14
40	4059904208520	4059904208681	0,59 m	0,5 m	0,325 m	13,3 kg	14
41	4059904208537	4059904208698	0,59 m	0,5 m	0,325 m	13,5 kg	14
42	4059904208544	4059904208704	0,59 m	0,5 m	0,325 m	13,7 kg	14
43	4059904208551	4059904208711	0,615 m	0,52 m	0,355 m	13,9 kg	14
44	4059904208568	4059904208728	0,615 m	0,52 m	0,355 m	14,1 kg	14
45	4059904208575	4059904208735	0,615 m	0,52 m	0,355 m	14,3 kg	14
46	4059904208582	4059904208742	0,615 m	0,52 m	0,355 m	14,5 kg	14
47	4059904208599	4059904208759	0,615 m	0,52 m	0,355 m	14,7 kg	14
48	4059904208605	4059904208766	0,615 m	0,52 m	0,355 m	14,9 kg	14
49	4059904208612	4059904208773	0,64 m	0,54 m	0,375 m	15,1 kg	14
50	4059904208629	4059904208780	0,64 m	0,54 m	0,375 m	15,3 kg	14

Customs tariff number: 64039113900

Country of origin: China